

FortiGate® 100D Series

FortiGate 100D, 140D and 140D-POE



The Fortinet Enterprise Firewall Solution delivers end-to-end network security with one platform, one network security operating system and unified policy management with a single pane of glass — for **the industry's best protection against the most advanced security threats and targeted attacks.**



Security Fabric Integration

FortiGate appliances, interconnected with the Fortinet Security Fabric, form the backbone of the Fortinet Enterprise Solution.



Deployment Modes

Distributed Enterprise Firewall
Next Generation Firewall



Hardware Acceleration

SPU CP8



Third-Party Certifications



2.5 Gbps
Firewall

2 Million
Concurrent Sessions



310 Mbps
IPS



220 Mbps
NGFW





200 Mbps
Threat Protection



Multiple GE RJ45, GE SFP Slots | PoE Variants

HARDWARE


FortiGate 100D



Interfaces

- | | |
|-------------------------------|-----------------------------|
| 1. USB Management Port | 6. 1x GE RJ45 DMZ Port |
| 2. 2x USB Ports | 7. 2x GE RJ45 HA Ports |
| 3. Console Port | 8. 14x GE RJ45 Switch Ports |
| 4. 2x GE RJ45 WAN Ports | 9. 2x GE RJ45 Shared Ports |
| 5. 1x GE RJ45 Management Port | 10. 2x GE SFP Shared Ports |


FortiGate 140D-POE



Interfaces

- | | |
|-------------------------|-------------------------------|
| 1. USB Management Port | 6. 1x GE RJ45 Management Port |
| 2. USB Port | 7. 20x GE RJ45 Switch Ports |
| 3. Console Port | 8. 16x GE RJ45 PoE Ports |
| 4. 2x GE RJ45 WAN Ports | 9. 2x GE SFP DMZ Ports |
| 5. 1x GE RJ45 HA Port | |

FortiGate 140D



Interfaces

- | | |
|-------------------------|-------------------------------|
| 1. USB Management Port | 5. 1x GE RJ45 HA Port |
| 2. USB Port | 6. 1x GE RJ45 Management Port |
| 3. Console Port | 7. 36x GE RJ45 Switch Ports |
| 4. 2x GE RJ45 WAN Ports | 8. 2x GE SFP DMZ Ports |

Powered by SPU CP8

- Providing high-speed cryptography for encryption and decryption
- Accelerates signature-based content inspection services such as AV and IPS



Install in Minutes with FortiExplorer

The FortiExplorer™ wizard enables you to easily and quickly set up and configure FortiGate platforms with easy-to-follow instructions. The application runs on Windows, Mac OS X desktops and laptops as well as popular mobile devices. Simply connect to the appropriate USB port on the appliance, and be fully protected in minutes.


Power up with PoE Interfaces

The FortiGate 140D-POE include PoE interfaces that allow you to plug in compatible wireless access points and IP phones out of the box, providing ease of deployment and lower TCO.

SOFTWARE

FortiOS

Control all the security and networking capabilities across the entire FortiGate platform with one intuitive operating system. Reduce operating expenses and save time with a truly consolidated next generation security platform.



- A truly consolidated platform with one OS for all security and networking services for all FortiGate platforms.
- Industry-leading protection: NSS Labs Recommended, VB100, AV Comparatives and ICSA validated security and performance.
- Control thousands of applications, block the latest exploits, and filter web traffic based on millions of real-time URL ratings.
- Detect, contain and block advanced attacks automatically in minutes with integrated advanced threat protection framework.
- Solve your networking needs with extensive routing, switching, WiFi, LAN and WAN capabilities.
- Activate all the SPU-booster capabilities you need on the fastest firewall platform available.



For more information, please refer to the FortiOS data sheet available at www.fortinet.com

SERVICES

FortiGuard™ Security Services

FortiGuard Labs offers real-time intelligence on the threat landscape, delivering comprehensive security updates across the full range of Fortinet's solutions. Comprised of security threat researchers, engineers, and forensic specialists, the team collaborates with the world's leading threat monitoring organizations, other network and security vendors, as well as law enforcement agencies:

- **Real-time Updates** — 24x7x365 Global Operations research security intelligence, distributed via Fortinet Distributed Network to all Fortinet platforms.
- **Security Research** — FortiGuard Labs have discovered over 170 unique zero-day vulnerabilities to date, totaling millions of automated signature updates monthly.
- **Validated Security Intelligence** — Based on FortiGuard intelligence, Fortinet's network security platform is tested and validated by the world's leading third-party testing labs and customers globally.

FortiCare™ Support Services

Our FortiCare customer support team provides global technical support for all Fortinet products. With support staff in the Americas, Europe, Middle East and Asia, FortiCare offers services to meet the needs of enterprises of all sizes:

- **Enhanced Support** — For customers who need support during local business hours only.
- **Comprehensive Support** — For customers who need around-the-clock mission critical support, including advanced exchange hardware replacement.
- **Advanced Services** — For global or regional customers who need an assigned Technical Account Manager, enhanced service level agreements, extended software support, priority escalation, on-site visits and more.
- **Professional Services** — For customers with more complex security implementations that require architecture and design services, implementation and deployment services, operational services and more.



Enterprise Bundle

FortiGuard Labs delivers a number of security intelligence services to augment the FortiGate firewall platform. You can easily optimize the protection capabilities of your FortiGate with the FortiGuard Enterprise Bundle. This bundle contains the full set of FortiGuard security services plus FortiCare service and support offering the most flexibility and broadest range of protection all in one package.

SPECIFICATIONS

	FORTIGATE 100D	FORTIGATE 140D	FORTIGATE 140D-POE
Hardware Specifications			
GE RJ45 Ports	20	40	24
GE RJ45 PoE Ports	–	–	16
GE SFP or RJ45 Shared Ports	2	–	–
GE SFP Ports	–	2	2
USB Ports (Client / Server)	1 / 2	1 / 1	1 / 1
T1 Port	–	–	–
Console Port	1	1	1
Internal Storage	32 GB	32 GB	32 GB
Included Transceivers	NA	0	0
System Performance			
Firewall Throughput		2.5 Gbps	
Firewall Latency (64 byte UDP packets)	37 µs	46 µs	46 µs
Firewall Throughput (Packets Per Second)		300 Kpps	
Concurrent Sessions (TCP)		2 Million	
New Sessions/Second (TCP)		22,000	
Firewall Policies		10,000	
IPsec VPN Throughput (512 byte packets)		450 Mbps	
Gateway-to-Gateway IPsec VPN Tunnels		2,000	
Client-to-Gateway IPsec VPN Tunnels		5,000	
SSL-VPN Throughput		300 Mbps	
Concurrent SSL-VPN Users (Recommended Maximum)		300	
IPS Throughput (HTTP / Enterprise Mix) ¹		950 / 310 Mbps	
SSL Inspection Throughput ²		260 Mbps	
Application Control Throughput ³		320 Mbps	
NGFW Throughput ⁴		220 Mbps	
Threat Protection Throughput ⁵		200 Mbps	
CAPWAP Throughput ⁶		1.2 Gbps	
Virtual Domains (Default / Maximum)		10 / 10	
Maximum Number of FortiAPs (Total / Tunnel Mode)		64 / 32	
Maximum Number of FortiTokens		1,000	
Maximum Number of Registered FortiClients		600	
High Availability Configurations		Active / Active, Active / Passive, Clustering	
Dimensions			
Height x Width x Length (inches)	1.75 x 17.01 x 11.73	1.75 x 17.01 x 12.28	1.75 x 17.01 x 12.28
Height x Width x Length (mm)	44 x 432 x 298	44 x 432 x 312	44 x 432 x 312
Form Factor	Rack Mount, 1 RU	Rack Mount, 1 RU	Rack Mount, 1 RU
Weight	9.5 lbs (4.3 kg)	11.5 lbs (5.2 kg)	11.5 lbs (5.2 kg)
Environment			
Power Required		100–240V AC, 50–60 Hz	
Maximum Current	110 V / 3 A, 220 V / 1.5 A	110 V / 2 A, 220 V / 1 A	110 V / 4 A, 220 V / 2 A
Total Available PoE Power Budget*	–	–	270 W
Power Consumption (Average / Maximum)	52.6 W / 63.1 W	44.8 W / 58.7 W	193.4 W / 337.1 W
Heat Dissipation	215.3 BTU/h	200.3 BTU/h	1150.2 BTU/h
Operating / Storage Temperature		32–104°F (0–40°C) / -31–158°F (-35–70°C)	
Operating Altitude		Up to 7,400 ft (2,250 m)	
Humidity		10–90% non-condensing	
Compliance			
		FCC Part 15 Class A, C-Tick, VCCI, CE, UL/cUL, CB	
Certifications			
		ICSA Labs: Firewall, IPsec, IPS, Antivirus, SSL-VPN; USGv6/IPv6	

Note: All performance values are "up to" and vary depending on system configuration. IPsec VPN performance is based on 512 byte UDP packets using AES-256+SHA1. 1. IPS performance is measured using 1 Mbyte HTTP and Enterprise Traffic Mix. 2. SSL Inspection is measured with IPS enabled and HTTP traffic, using TLS v1.2 with AES256-SHA. 3. Application Control performance is measured with 64 Kbytes HTTP traffic. 4. NGFW performance is measured with IPS and Application Control enabled, based on Enterprise Traffic Mix. 5. Threat Protection performance is measured with IPS and Application Control and Malware protection enabled, based on Enterprise Traffic Mix. 6. CAPWAP performance is based on 1444 byte UDP packets.

For complete, up-to-date and detailed feature set, please refer to the Administration Handbook and FortiOS Datasheet.

* Maximum loading on each PoE port is 15.4 W (802.3af).

ORDER INFORMATION

Product	SKU	Description
FortiGate 100D	FG-100D	20x GE RJ45 ports (including 1x DMZ port, 1x Mgmt port, 2x HA ports, 16x internal switch ports), 2x shared media pairs (including 2x GE RJ45, 2x GE SFP slots), 32 GB onboard storage. Maximum managed FortiAPs (Total / Tunnel) 64 / 32.
FortiGate 140D	FG-140D	40x GE RJ45 (including 36x switch ports, 2x Mgmt/HA ports, 2x WAN ports), 2x GE SFP DMZ slots, 32 GB onboard storage. Maximum managed FortiAPs (Total / Tunnel) 64 / 32.
FortiGate 140D-POE	FG-140D-POE	40x GE RJ45 (including 16x PoE ports, 20x switch ports, 2x Mgmt/HA ports, 2x WAN ports), 2x GE SFP DMZ slots, 32 GB onboard storage. Maximum managed FortiAPs (Total / Tunnel) 64 / 32.



GLOBAL HEADQUARTERS
Fortinet Inc.
899 KIFER ROAD
Sunnyvale, CA 94086
United States
Tel: +1.408.235.7700
www.fortinet.com/sales

EMEA SALES OFFICE
905 rue Albert Einstein
06560 Valbonne
France
Tel: +33.4.8987.0500

APAC SALES OFFICE
300 Beach Road 20-01
The Concourse
Singapore 199555
Tel: +65.6395.2788

LATIN AMERICA SALES OFFICE
Sawgrass Lakes Center
13450 W. Sunrise Blvd., Suite 430
Sunrise, FL 33323
United States
Tel: +1.954.368.9990

Copyright© 2017 Fortinet, Inc. All rights reserved. Fortinet®, FortiGate®, FortiCare® and FortiGuard®, and certain other marks are registered trademarks of Fortinet, Inc., in the U.S. and other jurisdictions, and other Fortinet names herein may also be registered and/or common law trademarks of Fortinet. All other product or company names may be trademarks of their respective owners. Performance and other metrics contained herein were attained in internal lab tests under ideal conditions, and actual performance and other results may vary. Network variables, different network environments and other conditions may affect performance results. Nothing herein represents any binding commitment by Fortinet, and Fortinet disclaims all warranties, whether express or implied, except to the extent Fortinet enters a binding written contract, signed by Fortinet's General Counsel, with a purchaser that expressly warrants that the identified product will perform according to certain expressly-identified performance metrics and, in such event, only the specific performance metrics expressly identified in such binding written contract shall be binding on Fortinet. For absolute clarity, any such warranty will be limited to performance in the same ideal conditions as in Fortinet's internal lab tests. In no event does Fortinet make any commitment related to future deliverables, features or development, and circumstances may change such that any forward-looking statements herein are not accurate. Fortinet disclaims in full any covenants, representations, and guarantees pursuant hereto, whether express or implied. Fortinet reserves the right to change, modify, transfer, or otherwise revise this publication without notice, and the most current version of the publication shall be applicable.