



Long-Range IP Surveillance Solution

Simply connect VIVOTEK's Long-Range IP Surveillance Solution can extend your device up to 300 meters without the need for any additional power supply. VIVOTEK provides several installations that can save significant manpower and hardware costs.

- No local power required
- Simple installation, no setup or configuration required
- Full and unrestricted network bandwidth
- Universal 10/100Mbps compatibility
- PoE powered device compatibility

PoE Extender
PoE Extender up to **300 M**

Daisy-Chain PoE Cameras
Daisy-Chain PoE Bullet Cameras up to **300 M**




PoE Extender

PoE Extender up to 300 meters


< 200 meters

Extend 1 PoE Camera

- Indoor Extension Solution




- Outdoor Extension Solution




< 200 meters

Extend 2 PoE Cameras

- Indoor Extension Solution




- Outdoor Extension Solution



Extend 4 PoE Cameras


- Indoor Extension Solution



< 300 meters


Extend 1 PoE Camera

- Indoor Extension Solution




Extend 2 PoE Cameras

- Indoor Extension Solution




Extend 3 PoE Cameras

- Indoor Extension Solution




Extend 4 PoE Cameras

• Indoor Extension Solution










Extend 3 PoE Cameras with Conduit Box

• Indoor Extension Solution



• VIVOTEK PoE Extender

Ordering Information		
	Model Name	Product Description
	AP-FXC-0100	Indoor 1-Port FE PoE Extender
	AP-FXC-0200	Indoor 2-Port FE PoE Extender
	AP-FXC-0201	Indoor 2-Port FE PoE Extender with Conduit Box
	AP-FXC-0400	Indoor 4-Port FE PoE Extender
	AP-FXC-0150	Outdoor 1-Port FE PoE Extender
	AP-FXC-0250	Outdoor 2-Port FE PoE Extender







Daisy-Chain PoE Camera

Daisy-Chain PoE Bullet Cameras up to 300 meters

Extend 3 Daisy-Chain PoE Bullet Cameras





- Outdoor Extension Solution



Ordering Information		
	Model Name	Product Description
Outdoor Bullet Cameras		
	IB8338-HR	1MP, 30fps, H.264/MJPEG, WDR Pro, P-iris, Daisy-Chain PoE
	IB8367-R	2MP, 30fps, H.264/MJPEG, P-iris, SNV, Daisy-Chain PoE
	IB8367-RT	2MP, 30fps, H.264/MJPEG, P-iris, SNV, Remote Focus, Daisy-Chain PoE
	IB9371-HRT	3MP, 30fps, H.265/H.264/MJPEG, Remote Focus, SNV, WDR Pro, Smart Stream II, Daisy-Chain PoE
	IB9381-HRT	5MP, 30fps, H.265H.264/MJPEG, Remote Focus, SNV, WDR Pro, Smart Stream II, Daisy-Chain PoE
Indoor Fixed Dome Camera		
	FD8166A-R	2MP, 30fps, H.264/MJPEG, SNV, WDR Enhanced, Smart Stream II, Daisy-Chain PoE

VIVOTEK High Power PoE Solution Product

- for PoE Extender & Daisy-Chain PoE Camera up to 300 M

Ordering Information		
	Model Name	Product Description
	AW-FED-065	High Power 4xFE 52W UPoE + 1xFE DIP Switch
	AW-FED-120	High Power 4xFE 52W UPoE + 1xFE DIP Switch
	AP-GIC-010A-060	Indoor 1xGE 60W UPoE Injector
	AP-GIC-010A-095	Indoor 1xGE 95W PoH/PoE Injector
	AW-IHT-0100	Industrial 1xGE 30W PoE Injector
	AW-IHU-0100	Industrial 1xGE 60W UPoE Injector
	AW-IHH-0100	Industrial 1xGE 95W PoH/PoE Injector
	AW-IHT-0200	Industrial 1xGE 30W PoE + 1xGE SFP Switch
	AW-IHU-0200	Industrial 1xGE 60W UPoE + 1xGE SFP Switch
	AW-IHH-0200	Industrial 1xGE 95W PoH/PoE + 1xGE SFP Switch
	AW-IHT-0500	Industrial 4xFE 30W PoE + 1xFE Switch
	AW-IHT-0501	Industrial 4xFE 30W PoE + 1xFE SC Multi-Mode 2KM Switch
	AW-IHT-0502	Industrial 4xFE 30W PoE + 1xFE SC Single-Mode 30KM Switch
	AW-IHT-0601	Industrial 4xGE 30W PoE + 1xGE Combo + 1xGE SFP Switch
	AW-IHU-0600	Industrial 4xGE 60W UPoE + 2xGE SFP Switch
	HLG-80H-48	Outdoor Industrial Power Supply, 48VDC/80W
	HLG-80H-54	Outdoor Industrial Power Supply, 54VDC/80W
	HLG-120H-48	Outdoor Industrial Power Supply, 48VDC/120W
	HLG-120H-54	Outdoor Industrial Power Supply, 54VDC/120W
	HLG-240H-54	Outdoor Industrial Power Supply, 54VDC/240W
	NDR-75-48	90~264VAC in, 48VDC/75W out, -20°C ~ 70°C
	NDR-120-48	90~264VAC in, 48VDC/120W out, -20°C ~ 70°C
	NDR-240-48	90~264VAC in, 48VDC/240W out, -20°C ~ 70°C

All specifications are subject to change without notice.
© VIVOTEK INC. All rights reserved. Ver. 1

VIVOTEK INC.
6F, No.192, Lien-Cheng Rd., Chung-Ho, New Taipei City, 23553 Taiwan
| T: +886 2 8245 5282 | F: +886 2 8245 5532 | E: sales@vivotek.com

VIVOTEK USA
2050 Flingwood Avenue, San Jose, CA 95131
| T: +1 408-773-8686 | F: +1 408-773-8298 | E: salesusa@vivotek.com

VIVOTEK Europe
Randstad 22-133, 1316BW Almere, The Netherlands
| T: +31(0)36-5298-434 | E: saleseurope@vivotek.com

VIVOTEK India
602, Best Sky Tower, Plot No. F-5, Netaji Subhash Place, Pitam Pura,
Delhi - 110 034
T: +91-45137465 | E: salesindia@vivotek.com

VIVOTEK Middle East
Room 1802, P.O.Box: 61053, Jafza ONE, Jebel Ali free zone, Dubai, UAE
| T: +971-4-8815333 | F: +971-4-8815205 | E: salesme@vivotek.com

VIVOTEK México
Ejército Nacional NI 418 Piso 7, Oficina 711 Col. Polanco V Sección,
Delegación Miguel Hidalgo México, D.F.
| T: + 52 55 1101 1793 | E: salesmexico@vivotek.com