Dray Tek



Vigor2927 Series is a dual-Ethernet WAN firewall router, providing load-balancing and failover for your business continuity. Featuring VPN, QoS, route policy, firewall, content filtering, bandwidth management, captive hotspot portal, and a lot more, this is the ultimate router that does it all for SMB. The series includes built-in 802.11ax Wi-Fi and VoIP gateway models.

Dual-WAN 50 VPN 25 SSL VPN 60k Sessions



Interface

| Fixed WAN Port | 1 x 10/100/1000Base-TX, RJ-45 |
|------------------|---|
| 2 WAN/LAN | 1 x 10/100/1000Base-TX, RJ-45 |
| Switchable Port | (WAN 2 or LAN Port 6) |
| 3 Fixed LAN Port | 5 x 10/100/1000Base-TX, RJ-45 |
| 4 USB Port | 2 x USB 2.0 or 1 x USB 2.0 (L model) |
| 5 VoIP | 2 x FXS, RJ-11 (V model) |
| Wi-Fi Antenna | 2 x External Dipole (wireless model) |
| LTE Antenna | 2 x External Dipole (L model) |
| SIM Slot | 2 x Standard-Sized (1 SIM online at a time) |
| | (L model) |
| Button | 1 x Factory Reset |
| | 1 x Wireless On/OFF/WPS (wireless model) |

Internet Connection

| IPv4 | PPPoE, DHCP, Static IP, PPTP/L2TP |
|-----------------------------|------------------------------------|
| IPv6 | PPP, DHCPv6, Static IP, TSPC, |
| | AICCU, 6rd, 6in4 Static Tunnel |
| 802.1p/q Multi-VLAN Tagging | • |
| Multi-VLAN/PVC | • |
| Wireless WAN | (wireless model) |
| 4G/LTE WAN with USB modem | • |
| Hardware Acceleration | • (f/w 4.2.2) |
| Load Balancing | IP-based, Session-based |
| WAN Active on Demand | Link Failure, Traffic Threshold |
| Connection Detection | ARP, Ping |
| WAN Data Budget | • |
| Dynamic DNS | • |
| DrayDDNS | • |
| - · · · · · · · - · · · · · | |

LAN Management

| 0 | |
|-----------------------------|---------------------------------------|
| VLAN | 802.1q Tag-based, Port-based |
| Max. Number of VLAN | 16 |
| Number of LAN Subnet | 8 |
| DHCP Server | Multiple IP Subnet, Custom DHCP |
| | Options, Bind-IP-to-MAC |
| LAN IP Alias | • |
| Wired 802.1x Authentication | • |
| Port Mirroring | • |
| Local DNS Server | • |
| Conditional DNS Forwarding | • |
| Hotspot Web Portal | • |
| Hotspot Authentication | Click-Through, Social Login, SMS PIN, |
| | Voucher PIN, RADIUS, External Portal |
| | Server |

Management

| Local Service | HTTP, HTTPS, Telnet, SSH, FTP, TR-069 |
|----------------------------------|---------------------------------------|
| Config File Export & Import | • |
| Config File Compatibility | Vigor2926 |
| Firmware Upgrade | TFTP, HTTP, TR-069 |
| 2-Level Administration Privilege | • |
| Access Control | Access List, Brute Force Protection |
| Notification Alert | SMS, E-mail |
| SNMP | v1, v2c, v3 |
| Syslog | • |
| Managed by VigorACS | • |
| Central VPN Management | 8 VPN |
| Central AP Management | 20 VigorAP |
| Central Switch Management | 10 VigorSwitch |
| | |

Wireless LAN (Wireless model)

| Number of SSID | 4 per radio band |
|------------------|---|
| Security Mode | WEP, WPA, WPA2, Mixed(WPA+WPA2) |
| Authentication | Pre-Shared Key, 802.1x |
| WPS | PIN, PBC |
| WDS | Bridge, Repeater |
| Access Control | Access List, Client Isolation, Hide SSID, |
| | Wi-Fi Scheduling |
| AirTime Fairness | • |
| Band Steering | • (dual-band model) |
| MU-MIMO | • (5G Only) (dual-band model) |
| WMM | • |

VPN

| LAN-to-LAN | • |
|------------------------|--|
| Teleworker-to-LAN | • |
| Protocols | PPTP, L2TP, IPsec, L2TP over IPsec, SSL, |
| | GRE, IKEv2, IKEv2-EAP, IPsec-XAuth, |
| | OpenVPN (Host to LAN) |
| User Authentication | Local, RADIUS, LDAP, TACACS+, mOTP |
| IKE Authentication | Pre-Shared Key, X.509 |
| IPsec Authentication | SHA-1, SHA-256 |
| Encryption | MPPE, AES, DES, 3DES |
| VPN Trunk (Redundancy) | Load Balancing, Failover |
| Single-Armed VPN | • |
| NAT-Traversal (NAT-T) | • |
| DrayTek VPN Matcher | • |
| | |

Networking

| Routing | IPv4 Static Routing, IPv6 Static Routing, |
|-----------------------|---|
| | Inter-VLAN Routing, RIP, BGP |
| Policy-based Routing | Protocol, IP Address, Port, Domain, Country |
| High Availability | • |
| DNS Security (DNSSEC) | • |
| Multicast | IGMP Proxy, IGMP Snooping & Fast Leave, |
| | Bonjour |
| Local RADIUS server | • |
| SMB File Sharing | • (Requires external storage) |

Firewall & Content Filtering

| | _ |
|--------------------------|--|
| NAT | Port Redirection, Open Ports, Port Triggering, DMZ Host, UPnP |
| ALG | SIP, RTSP, FTP, H.323 |
| VPN Pass-Through | PPTP, L2TP, IPsec |
| IP-based Firewall Policy | • |
| Content Filtering | Application, URL, DNS Keyword, Web Features Web Category* (*: subscription required) |
| DoS Attack Defense | • |
| Spoofing Defense | • |
| | |

Bandwidth Management

| IP-based Bandwidth Limit | • |
|--------------------------|--------------------------------|
| IP-based Session Limit | • |
| QoS (Quality of Service) | TOS, DSCP, 802.1p, IP Address, |
| | Port, Application |
| VoIP Prioritization | • |

VoIP (V model)

| Protocol | SIP, RTP/RTCP, ZRTP |
|----------------|--|
| SIP Registrars | 12 |
| Dial Plan | Phone Book, Digit Map, Call Barring, Regional |
| Call Features | Call Waiting, Call Transfer, Scheduled DND, Hotline |
| Voice Codec | G.711 A/u law, G.726, G.729 A/B |
| Caller ID | FSK_ETSI, FSK_BELLCORE, DTMF |

LTE (L model)

| LTE Category | 6 |
|-----------------|--|
| Max. Data Rate | 300 Mbps downlink, 50 Mbps uplink |
| FDD Band | 1 (2100MHz), 3 (1800MHz), 7 (2600MHz), |
| | 8 (900MHz), 20 (800MHz), 28 (700MHz) |
| TDD Band | 38 (2600MHz), 40 (2300MHz) |
| WCDMA (3G) Band | 1, 8 |

For other band availability, please contact your local DrayTek distributor or us.

─ WLAN ─

| | 2.4 GHz | 5 GHz | LTE | VoIP |
|------------------|---------|-------|-----|------|
| Vigor2927 | | | | |
| Vigor2927ac/ax | • | • | | |
| Vigor2927Lac/Lax | • | • | • | |
| Vigor2927Vac/Vax | • | • | | • |

